



Interactive Whiteboard **RICOH Interactive** Whiteboard D6500 Real time LED High resolution HD1080p display backlight remote image sharing touch screen Handwriting Interactive customisable OS


recognition OCR

software & applications



Developing and communicating concepts quickly and effectively is critical in commerce and education today. In the modern office space, collaborative working is also essential, utilising new ways of working to develop ideas easily. Ricoh's Interactive Whiteboard





security settings.

Interactive learning for junior and secondary school students

Young minds learn best through interaction and discussion. The D6500 facilitates this by making lessons and lectures lively and stimulating. It allows a whole host of graphics, images, diagrams and videos not only to be displayed but annotated and revised. Great ideas and useful lesson graphics don't need to be lost when the class ends because you can save and share information in PDF format.

Bring your own applications alive for students

Young minds learn best through interaction and discussion. The D6500 facilitates this by making lessons and lectures lively and stimulating. It allows a whole host of graphics, images, diagrams and videos not only to be displayed but annotated and revised. Great ideas and useful lesson graphics don't need to be lost when the class ends because you can save and share information in PDF format.



Make learning absorbing and entertaining

Lesson plans can now include interactive sessions so in an art class you can engage students in a study of impressionist painting. Workgroups can use the D6500 to discover the structure of stars in science projects. History lessons can benefit from examination of historical document facsimiles and you can annotate documents on screen to emphasise key points in the text. Lesson work can be saved for later sharing with students.



Spontaneous notes can be saved and shared

When you write on the D6500 screen, you can also use the OCR function to convert hand written letters to text. OCR text is saved as searchable content, useful for later review and revision of scribbled notes. Because the flexible D6500 supports simultaneous drawing, your students can give free rein to their imaginations. Depending on the software you use, you can also move, edit and resize graphics on screen.



Empowering your business with shared knowledge and creativity

How can you harness and share all the valuable creativity in your workgroups? You need a device that allows everyone to collaborate and cooperate in brainstorming sessions. And you may need to get valuable input from colleagues in other locations. The D6500 is the answer, providing an interactive platform where you can all share and develop ideas. And when you're done, you can save your work to folder or to email for sharing and future reference.

Remote communication in real-time

You can share content with up to 20 D6500 units via an intranet connection without separate server or software installations. Each whiteboard offers interactive controls to participants in multiple locations simultaneously. Up to an additional 20 computer or 10 tablet users can login to view the session via a web browser facility. An app for iPad users to view and draw interactively on iPad is also available*.



Secure business presentations

The D6500 allows secure sharing of confidential business projects as remote participants use a PIN code to gain access. Once you shut down the D6500 or it goes into auto-standby, all data is automatically erased. For your complete peace of mind the D6500 is supplied with McAfeeTM whitelist anti-virus software preinstalled, protecting your confidential data.



Training and information sharing made simple

With the optional electronic pen you write, draw, edit, resize and move information on diagrams, graphics and images. Graphs and charts can be enriched with embedded shapes and drawings. Useful ideas and suggestions from all participants can be added to the presentation in real-time. And all additional information can be saved including text, using the OCR function to save content as searchable PDF files for future reference.



Flexible operation

With instant switch on the D6500 Whiteboard is ready to work. Admin settings for the D6500 can be controlled remotely and the system is protected by McAfee whitelist antivirus software. Optional wireless connectivity removes the need for network cables from input devices. Remote access is PIN code protected so that only authorised users have administrative privileges. As correspondence with LDAP is supported the workload of registering e-mail addresses is reduced.

Outstanding visual clarity

Central to the success of the D6500 is its advanced 65" full HD 1080p LCD display incorporating an LED backlight and reflection prevention. The screen provides an infra-red, multi-touch interface so that several users can draw and write on the screen simultaneously. A maximum 10 point touch is allowed on the display with the number of touch points and simultaneous drawings dependent on the OS and software used.

Electric pen allows precision notes


Using the optional interactive electronic pen allows annotations on screen to be more exact and precise as it can be used in any one of four line thicknesses and includes an eraser. This makes it very easy and natural to write with. The electronic pen also draws or writes in one of 20 colours, for visual impact on remarks and notes. The electronic pen, and its signal receive sensor connect with the OPS controller by USB cable.

Simple, intuitive and instant operation

Central to the success of the D6500 is its advanced 65" full HD 1080p LCD display incorporating an LED backlight and reflection prevention. The screen provides an infra-red, multi-touch interface so that several users can draw and write on the screen simultaneously. A maximum 10 point touch is allowed on the display with the number of touch points and simultaneous drawings dependent on the OS and software used.

Flexible display and audio options

The D6500 fits easily onto an optional stand allowing the D6500 to be wheeled easily between locations where needed. If required the D6500 can be wall mounted using an industry standard 400 x 400mm VESA kit. Dual integral 12W speakers means no external sound system is needed when using input source media with audio content. Audio output ports are also provided should connection to an amplified external sound system be required.



- LED backlight and reflection prevention.
- Switch on and ready to use without any need to calibrate display or configure software, saving time and improving presentation experience.
- Touch-screen allows you to write, draw, edit, erase, move, resize and save work. Highlight areas, flip through pages and zoom in and out.
- Simple user interface makes it easy to share, edit and save collaborative work with colleagues and students.

- including on-off input selection.
- Wireless network option allows connection of remote input devices without the need for network cables.
- Network access is secured by authorised PIN code. Auto-erase of content follows shut down or auto-standby.
- Link up to 20 D6500 whiteboards and configure settings centrally. Allow up to 20 more remote users to view presentations.

RICOH Interactive Whiteboard D6500

MAIN SPECIFICATIONS

DISPLAY PANEL

Panel size: Diagonal: 65" wide (1,651 mm)

Liquid Crystal Display Display type: Backlight: LED system

Effective display area (W x H): Maximum: 1,920 x 1,080 (Full HD)

Maximum: Over 1,060,000,000 colours Resolution: Colour:

1,428.5 x 803.5 mm

Brightness: Maximum: 360 cd/m²

Aspect ratio: 4.000:1 Contrast ratio: Pixel pitch: 0.74 x 0.74 mm Response speed: 8 ms (Grey to Grey, Ave.) Viewing angle (H/V): 178°/178° (Contrast ratio >= 12)

TOUCH PANEL

Direction system electronic pen: Light interception method

Protection glass thickness: Approx. 4 mm (including AR coating)

GENERAL

External interface: Display input: Mini D-SUB15pin x 1,

DisplayPort, HDMI (PC) x 1

Output: HDMI

Others: USB2.0 Type A x 2, USB3.0

Type A x 1, RJ45 (for Wired LAN & Crestron)

Dimensions (W x D x H): 1,531 x 126 x 885 mm

Weight: 77 kg

100 - 240 V, 50/60 Hz Power source:

ECOLOGY

Sound power level (full system):

Maximum: 300 W Power consumption:

Stand-by mode: 0.5 W

Recovery time from stand-by mode: 5 sec 0°C - 40°C Operating temperature: 10% - 80% Operating humidity:

ACCESSORIES

Set-up guide & safety instructions, RGB cable, Power cable, Remote control with batteries, USB cable.

OPTIONS

Pen, Remote License, Stand

Remote networking including the iPad app requires a license. For availability of models, options and software, please consult your

local GLOBAL supplier.

ISO9001 certified, ISO14001 certified, ISO27001 certified. All brand and / or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear

Copyright © 2016 Ricoh. All rights reserved. This brochure, its contents and / or layout may not be modified and / or adapted, copied in part or in whole and/or incorporated into other works without theprior written permission of Ricoh.

